

ENTERPRISE SERIES



The Enterprise Series offers a variety of optics in an Aerodynamically designed housing. The sleek design enhances the aesthetics of any site project while reducing the wind loading requirement for poles.

1. HOUSING

Architecturally shaped one piece die cast aluminum housing.

2. DOOR FRAME

A single piece die cast door frame that features a tool-less latch with stainless steel hardware. A silicone gasket provides a weather tight seal.

3. LENS

A clear sag lens is standard. An optional flat lens is utilized for cut off applications.



4. BALLAST

Name brand ballasts are mounted to a ballast tray that is removable without tools. A quick disconnect is featured for easy repairs and maintenance.

5. OPTICS

Type II Horizontal
Type III Horizontal
Type III Vertical
Type IV Horizontal
Type IV Horizontal Perimeter
Forward Throw Auto
Forward Throw Auto Perimeter
Type IV Vertical
Type V Horizontal
Type V Vertical

DIMENSIONS



ACCESSORIES



VSAENT
VSARTPENT*

* FOR ROUND
TAPERED POLES.

ORDER INFORMATION

FIXTURE

| | Order # | Wattage | |
|-----|---------|--------------------|--|
| ENT | ENT | Enterprise Fixture | |

Reflector-

| | Order # | Wattage | |
|----|---------|------------------------------|--|
| 20 | 20 | Type II Horizontal | |
| | 30 | Type III Horizontal | |
| | 31* | Type III Vertical | |
| | 40 | Type IV Horizontal | |
| | 41 | Type IV Horizontal Perimeter | |
| | 42 | Forward Throw Auto | |
| | 43 | Forward Throw Auto Perimeter | |
| | 44* | Type IV Vertical | |
| | 50 | Type V Horizontal | |
| | 51* | Type V Vertical | |

Ballast-

| | Order# | Description | |
|-----|--------|---|--|
| 250 | 250 | ENT/MH250-480 250W Metal Halide 480V | |
| | 251 | ENT/MH250MT 250W Metal Halide Multi-Tap | |
| | 252 | ENT/MH250-480-PS 250W Pulse-Start Metal Halide 480V | |
| | 253 | ENT/MH250MT-PS 250W Pulse-Start Metal Halide Multi-Tap | |
| | 320 | ENTMH320-480-PS 320W Pulse-Start Metal Halide 480V | |
| | 321 | ENT/MH320MT-PS 320W Pulse-Start Metal Halide Multi-Tap | |
| | 350 | ENT/MH350-480-PS 350W Pulse-Start Metal Halide 480V | |
| | 351 | ENT/MH350MT-PS 350W Pulse-Start Metal Halide Multi-Tap | |
| | 400 | ENT/MH400-480 400W Metal Halide 480V | |
| | 401 | ENT/MH400MT 400W Metal Halide Multi-Tap | |
| | 402 | ENT/MH400-480-PS 400W Pulse-Start Metal Halide 480V | |
| | 403 | ENT/MH400MT-PS 400W Pulse-Start Metal Halide Multi-Tap | |
| | 750 | ENT/MH750MT-PS 750W Pulse-Start Metal Halide Multi-Tap | |
| | 751 | ENT/MH750-480-PS 750W Pulse-Start Metal Halide 480V | |
| | 775 | ENT/MH775-PS 775W Pulse-Start Metal Halide Multi-Tap | |
| | 776 | ENT/MH775-480-PS 775W Pulse-Start Metal Halide 480V | |
| | 900 | ENT/MH-K-MT 1000W Metal Halide Multi-Tap | |
| | 901 | ENT/MH-K-480 1000W Metal Halide 480V | |
| | 902 | ENT/MH-K-MT-PS 1000W Pulse-Start Metal Halide Multi-Tap | |
| | 903 | ENT/MH-K-480-PS 1000W Pulse-Start Metal Halide 480V | |

Voltage-

| | Order# | Catalog # | Description | |
|-----|--------|-----------|-------------|--|
| 277 | 120 | 120 Volt | | |
| | 208 | 208 Volt | | |
| | 240 | 240 Volt | | |
| | 277 | 277 Volt | | |
| | 480 | 480 Volt | | |

Lamp-

| | Order# | Description | |
|-----|--------|-----------------|--|
| 250 | 250 | MH 250 | |
| | 252 | MH 250 PS | |
| | 320 | MH 320 PS | |
| | 350 | MH 350 PS | |
| | 400 | MH 400 | |
| | 402 | MH 400 PS | |
| | 750 | MH 750 PS | |
| | 775 | MH 775 BT37 PS | |
| | 900 | MH 1000 BT37 | |
| | 902 | MH 1000 BT37 PS | |

Lens-

| | Order# | Catalog # | Description | |
|---|--------|-----------|-------------|--|
| 2 | 1 | Flat | | |
| | 2 | Sag | | |

* Vertical lamp positions available with Sag Glass lens only

ORDER INFORMATION

Finish-

| | Order# | Catalog# | Description | |
|---|--------|----------|-------------|--|
| 2 | 1 | Black | | |
| | 2 | Bronze | | |
| | 3 | US Green | | |
| | 4 | White | | |
| | 5 | Special | | |

Mounting-

| | Order# | Catalog # | Description | |
|---|--------|-----------|---|--|
| 2 | 1 | VSAENT | 12" Straight Arm Mount for Square Poles | |
| | 2 | VSARTPENT | 12" Straight Arm Mount for Round Poles | |
| | 3 | WMVSA | 12" Straight Arm and Wall Bracket | |